

MOLYKOTE(R) 1000 PASTE

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product Details

Product Name: MOLYKOTE(R) 1000 PASTE
Other Name: Inorganic and organic compounds in mineral oil
Company Product Code: 01444310
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Contains Tallowalkyltriethylene diamineoleate / Zinc)
Recommended Use: Lubricant

1.2 Company Details

Manufacturer/Supplier: Dow Corning Australia Pty Ltd, ABN 36 008 444 166
Address: Darling Park, Tower 2 Locked Bag 2095
 Level 20, 201 Sussex Street North Ryde NSW 1670
 Sydney NSW 2000
24/7 Emergency Telephone Number: 1300-360-732

2. HAZARD IDENTIFICATION

- 2.1 Hazard Classification:** Non-Hazardous Substance. Dangerous Goods.
- 2.2 Risk Phrase(s):** Not hazardous.
- 2.3 Safety Phrase(s):** Avoid contact with skin and eyes.
 In case of fire and/or explosion do not breathe fumes.
 Use appropriate container to avoid environmental contamination.
 This material and its container must be disposed of as hazardous waste.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Proportion %</u>
Zinc	7440-66-6	<10
Tallowalkyltriethylene diamineoleate	61791-53-5	<1
Ingredients determined not to be hazardous to 100%		

4. FIRST AID MEASURES

4.1 First Aid Measures:

Ingestion: Get medical attention.
Eye: Immediately flush with water for 15 minutes.
Skin: No first aid should be needed.
Inhalation: No first aid should be needed.

MOLYKOTE(R) 1000 PASTE**4.2 Medical Attention and Special Treatment Needed:**

First Aid Facilities:	None should be required.
Comments:	Treat according to person's condition and specifics of exposure.
Note to physicians:	Treat Symptomatically. For further information, the Medical Practitioner should contact Dow Corning Australia Pty Ltd.

5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media:	On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO ₂), dry chemical or water spray. Water can be used to cool fire exposed containers.
5.2 Unsuitable Extinguishing Media:	None established.
5.3 Hazards From Combustion Products:	None.
5.4 Precautions For Fire Fighters and Special Protective Equipment:	Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals.
5.5 Hazchem Code:	2X

6. ACCIDENTAL RELEASE MEASURES

6.1 Emergency Procedures:	Run off may pollute waterways. Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas.
6.2 Methods and Materials for Containment and Clean Up Procedures:	Observe all personal protective equipment recommendations described in this MSDS. If diked material can be pumped, store recovered material in appropriate container. Wipe up or scrape up and contain for salvage or disposal. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws and regulations are applicable.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:	Use with adequate ventilation. Avoid skin and eye contact. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.
7.2 Conditions for Safe Storage:	Use reasonable care and store away from oxidizing materials.

MOLYKOTE(R) 1000 PASTE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure Standards:

IngredientsExposure Limits

Zinc	Observe particulate limits. OSHA PEL: TWA 15 mg/m ³ total dust, 5 mg/m ³ respirable fraction. ACGIH TLV: TWA 10 mg/m ³ inhalable particulate, 3 mg/m ³ respirable particulate. No biological limit allocated.
Tallowalkyltriethylene diamineoleate	None established. No biological limit allocated.

8.2 Engineering Controls:

Local Ventilation:	None should be needed.
General Ventilation:	Recommended.

8.3 Personal Protective Equipment:

Respiratory:	No respiratory protection should be needed.
Suitable Respirator:	None should be needed.
Hand:	No special protection needed.
Eye:	Use proper protection - safety glasses as a minimum.
Skin:	Washing at mealtime and end of shift is adequate.

Note: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Form:	Paste
9.2 Colour:	Brown
9.3 Odour:	Slight odor
9.4 pH:	Not determined.
9.5 Vapour Pressure @ 25°C:	Not determined.
9.6 Vapour Density (air=1):	Not determined.
9.7 Boiling Point:	Not determined.
9.8 Melting Point:	Not determined.
9.9 Solubility in Water:	Not determined.
9.10 Specific Gravity @ 25°C:	1.26
9.11 Flash Point:	Not applicable.
9.12 Upper Flammability Limit:	Not determined.
9.13 Lower Flammability Limit:	Not determined.
9.14 Autoignition Temperature:	Not determined.
9.15 Viscosity:	Not determined.

MOLYKOTE(R) 1000 PASTE

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

- 10.1 **Chemical Stability:** Stable.
- 10.2 **Conditions to avoid:** None.
- 10.3 **Incompatible Materials:** Can react with strong oxidising agents.
- 10.4 **Hazardous Decomposition Products:** Sulfur oxides. Metal oxides. Nitrogen oxides. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Fluorine compounds. Formaldehyde.
- 10.5 **Hazardous Reactions :** Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

- 11.1 **Possible Routes of Exposure** Inhalation Skin Contact Ingestion

11.2 **Possible Health Effects:**Acute

- Ingestion:** Low ingestion hazard in normal use.
- Eye:** Direct contact may cause mild irritation.
- Skin:** No significant irritation expected from a single short-term exposure.
- Inhalation:** Irritates respiratory passages very slightly.

Chronic

- Ingestion:** Repeated ingestion or swallowing large amounts may injure internally.
- Skin:** Repeated or prolonged contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.
- Inhalation:** No known applicable information.
- Other Health Hazard Information:** Long term exposure to fluorides can cause fluorosis with bone changes, mottled teeth, weight loss and anemia.
Inhalation of fumes may result in metal fume fever, a flu-like illness with symptoms of metallic taste, fever and chills, aches, chest tightness, and cough.

The above listed potential effects of overexposure are based on actual data, the results of studies performed upon similar compositions, component data, and/or expert review of the products.

12. ECOLOGICAL INFORMATION

12.1 **Environmental Fate and Distribution:**

Solid material, insoluble in water.

MOLYKOTE(R) 1000 PASTE**12.2 Ecotoxicity:**

This product contains substances which may cause adverse effects in the aquatic environment. However, due to the physical form and water-insolubility of the product the bioavailability is negligible.

Bioaccumulation: No bioaccumulation potential. This product is a solid which is not soluble in water and if ingested will not be absorbed.

12.3 Fate and Effects in Waste Water Treatment Plants:

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal Method: This material must be disposed of as hazardous waste.

13.2 Special Precautions for Landfill or Incineration: None known.

14. TRANSPORT INFORMATION

14.1 UN No.: 3077

14.2 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains Tallowalkyltriethylene diamineoleate / Zinc)

14.3 Class: 9

14.4 Packing Group: III

14.5 Hazchem Code: 2X

14.6 Sea transport (IMDG)

Class: 9

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Name: Tallowalkyltriethylene diamineoleate / Zinc

UN No.: UN 3077

Packing Group: III

Hazard Label(s): miscellaneous

Marine Pollutant: Tallowalkyltriethylene diamineoleate
Zinc

14.7 Air Transport (IATA-DGR)

Class: 9

Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.

Technical Name: Tallowalkyltriethylene diamineoleate / Zinc

UN No.: UN 3077

Packing Group: III

Hazard Label(s): Miscellaneous dangerous goods
Apply Gross Wt Supplemental Label to Outer Package if shipping Limited Quantity

15. REGULATORY INFORMATION

15.1 SUSDP Poisons Schedule Number: None allocated.

MOLYKOTE(R) 1000 PASTE

15.2 Prohibition/Licensing Requirements:	There are no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.
15.3 Industrial Chemicals (Notification and Assessment) Act 1989:	All ingredients listed or exempt.
15.4 HSNO Approval Code:	HSR002606
15.5 Chemical Inventories:	
EINECS:	All ingredients listed or exempt.
TSCA:	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.
IECSC:	All ingredients listed or exempt.
ENCs/ISHL:	All components are listed on ENCS/ISHL or its exempt rule.
KECL:	All ingredients listed, exempt or notified.
PICCS:	All ingredients listed or exempt.
DSL:	All chemical substances in this material are included on or exempted from the DSL.
HSNO:	All ingredients listed or exempt.

16. OTHER INFORMATION

Contact Point: Product Safety Specialist - 1300-360-732

Prepared by: Dow Corning Australia Pty Ltd

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this Company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

(R) indicates Registered Trademark

www.dowcorning.com