



882 Semi-Steel Sprocket Information																			
Number of Teeth		Pitch Diameter		Outside Diameter		Bore Diameter (Shaft-Ready)								Bore Diameter (Round)				Approximate Weight	
						Round				Square				in		mm			
						in	mm	min	max	min	max	min	max	min	max	min	max		
actual	effect	in	mm	in	mm	min	max	min	max	min	max	min	max	min	max	min	max	lbs	kg
9	9	4.386	111.40	4.43	112.5	3/4	1-3/8	20	35	-	-	-	-	3/4	2-1/4	20	55	3.75	1.70
10	10	4.854	123.29	4.92	125.0	3/4	1-3/8	20	35	-	-	-	-	3/4	2-1/4	20	55	4.19	1.90
11	11	5.325	135.26	5.41	137.4	3/4	1-1/2	20	40	-	-	-	-	3/4	2-1/4	20	55	4.41	2.00
12	12	5.796	147.22	5.90	149.9	3/4	1-3/8	20	35	-	-	-	-	3/4	2-1/4	20	55	4.63	2.10
15	15	7.215	183.26	7.36	186.9	3/4	1-3/4	20	45	-	-	-	-	3/4	2-3/4	20	65	6.24	2.83

Shaft-ready round bore sprockets are shipped with keyway and setscrew.

NS882 Thermoplastic Split Sprocket Information																			
Number of Teeth		Pitch Diameter		Outside Diameter		Bore Diameter (Shaft-Ready)								Bore Diameter (Idler)				Approximate Weight	
						Round				Square				in		mm			
						in	mm	min	max	min	max	min	max	min	max	min	max		
actual	effect	in	mm	in	mm	min	max	min	max	min	max	min	max	min	max	min	max	lbs	kg
11	11	5.325	135.26	5.41	137.4	1	1-3/4	25	45	-	-	-	-	1	1-3/4	25	45	0.66	0.30
12	12	5.796	147.22	5.90	149.9	1	1-3/8	25	35	-	-	-	-	1	1-3/4	25	45	0.82	0.37

Imperial shaft-ready round bore sprockets are shipped with keyway and setscrew. Metric shaft-ready round bore sprockets are shipped with keyway, but without setscrew. Idler bores are designed to spin freely on the shaft.

### Corner Track (Two Piece)





Corner track number supplied as one 90° inside and one 90° outside track, which can be used as either carry or return.

Corner Track Number	Accommodates Top Plate Width		Nominal Corner Radius		Inside Track Radius		Outside Track Radius		Thickness		Width		Material	Color	Approximate Weight	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm			lbs	kg
<b>TAB Design</b>																
N24R5	All	All	24.0	610	22.9	581	25.1	639	0.6	16	1.5	38	Nylatron®	Black	2.89	1.31

Nylatron is a registered trademark of Quadrant Engineering Plastics Products.

### Corner Track (Four Piece)



30 in (762 mm) radius furnished in two 45° segments to make one 90° unit.

Corner track number supplied as two 45° inside tracks and two 45° outside tracks, which can be used as either carry or return.

Corner Track Number	Accommodates Top Plate Width		Nominal Corner Radius		Inside Track Radius		Outside Track Radius		Thickness		Width		Material	Color	Approximate Weight	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm			lbs	kg
<b>TAB Design</b>																
N30R5	All	All	30.0	762	28.9	733	31.1	791	0.6	16	1.5	38	Nylatron®	Black	3.61	1.64

Nylatron is a registered trademark of Quadrant Engineering Plastics Products.